

Ecophon Akusto[™] Wall A

Ecophon Akusto[™] Wall A has an exposed profile system with a variety of surface options. This wall absorber pairs with a sound absorbing ceiling to achieve excellent acoustic properties in the room.




SYSTEM RANGE

40	Size, mm	0700 1000
1		2700x1200
	Channel trim	•
	Thinline Profile	•
	WP Profile	•
	Thickness (THK)	40
	Inst. Diagr.	M353, M504, M509



Akusto Wall A system with Connect Channel trim and Connect T24 Main





Akusto Wall system with Connect Thinline profiles

Acoustic




Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{
m p\prime}$ Practical sound absorption coefficient

runner



- ···· Akusto Wall A Akutex FT 40 mm, 43 mm o.d.s.
- Akusto Wall A Texona 40 mm, 43 mm o.d.s.
- --- Akusto Wall A Super G 40 mm, 43 mm o.d.s.
- o.d.s = overall depth of system

	тнк	o.d.s. mm	$lpha_{ m p'}$ Practical sound absorption coefficient						α	Sound absorption class
	mm	n 0.0.3. mm	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	0. _W	
Akutex FT	40	43	0.20	0.70	1.00	1.00	1.00	1.00	1.00	A
Texona	40	43	0.15	0.65	1.00	1.00	1.00	1.00	1.00	A
Super G	40	43	0.15	0.65	1.00	1.00	1.00	1.00	0.95	A

ТНК	AC(1.5)
mm	Articulation Class, ASTM E1111, ASTM E1110
40	230



Indoor Air Quality

Certificate / Label	Standard	EMISSIONS DANS L'AIR INTÉRIEUR
Eurofins Indoor Air Comfort®	IAC	
French VOC	А	
Finnish M1	•	_



Environmental Footprint

Kg CO_2 equiv/m²: 6,2 From EPD in conformity with ISO 14025 / EN 15804



Circularity

Minimum post-consumer recycled content	53%
Recyclability	Fully recyclable



Fire safety

)	Country	Standard	Class		
	Europe	en 13501-1	A2-s1,d0		

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akusto in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Super G and Akutex FT surfaces). Weekly dusting and vacuum cleaning (Texona surface).



Use of disinfectants

Texona Ginger, Sea salt, Thyme, Oyster and Garlic withstand the frequent use of ethanol (70%)-based disinfectants. Dampen a soft polyester microfiber cloth with the solution and wipe the surface in gentle circular movements.



Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. The systems should not be placed behind goals or similar areas where they frequently will be hit by hard ball shots. In such cases a protective net in front of the system is recommended.



System weight

The weight of the system (including profile system) should be approximately 4 kg/m².



Mechanical properties

No additional live load is allowed.




Impact Resistance

Surface	M-sketch	Class	Tested and classified to fulfil the requirements of DIN 18032
Super G	M353	Fulfills	3, equivalent to 1A according to EN13964. Texona surface has moderate impact resistance. Please note: Where the
			panels are subjected to frequent blows and impacts e.g. behind goal mouths, protection in form of e.g restraining nets

or wooden slats is required.


CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.



QUANTITY SPECIFICATION (EXCL. WASTAGE)


	Size, mm		
	2700×1200		
1 Ecophon Akusto Wall A/Super G	0,31/m²		
2 Connect Channel trim, fixed at 300 mm centres. Connect Direct fixing plate is placed inside at each fixing point if the panel is not supported by the floor.	as required		
3 Connect Direct fixing plate	as required		
Connect Installation screw MVL (for use in plasterboard or timber)	as required		
o Connect Fixing bracket, fixed at 400 mm centres.	as required		
Connect Recessed profile plus	as required		
Connect Installation screw BR	as required		
Δ Min. overall depth of system: 44 mm			





See Quantity specification


Detail of installation



Accesories for adjusting electrical installations are available in electricity retail stores


Size, mm Max live Min load bearing load (N) capacity (N) 2700x1200x40 0 -

INSTALLATION DIAGRAM (M504) FOR ECOPHON AKUSTO WALLA




QUANTITY SPECIFICATION (EXCL. WASTAGE)


Size, mm		
2700×1200		
0,31/m²		
as required		
-		
as required		



See Quantity specification




Installation with Channel trim and WP Space bar



Connect Channel trim corner for 44mm profile


Size, mm Max live Min load bearing load (N) capacity (N) 2700x1200x40

INSTALLATION DIAGRAM (M509) FOR ECOPHON AKUSTO WALL A WITH CONNECT THINLINE PROFILES.




QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm
		2700×1200
1	Ecophon Akusto Wall A	0,31/m²
	Connect Thinline Profile, L=2644 mm	as required
	Connect Thinline Corner	as required
	Connect Thinline Locking Clip	as required
	Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
	Connect Thinline Space Bar	as required
	Δ Overall depth of system: 45 mm	



See Quantity specification



Detail of panel with Thinline system

Detail of Thinline corner

Size, mm Max live Min load bearing load (N) capacity (N) 2700x1200x40



Ecophon Akusto[™] Wall C

Ecophon Akusto[™] Wall C has a concealed grid and bevelled edge to create a narrow groove between each panel. Available in a variety of surface options. Excellent room acoustic properties are achieved when this wall absorber is paired with a sound absorbing ceiling.



SYSTEM RANGE

40	Size, mm	2700x600
	Thinline Profile	•
	WP Profile	•
	Thickness (THK)	40
	Inst. Diagr.	M497, M354, M355, M508



Section of Akusto Wall C System



Akusto Wall C system with Connect WP profile and external corner



Wall Panel C system with Connect WP profile and external corner


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $\alpha_{\mathsf{p}'}$ Practical sound absorption coefficient



···· Akusto Wall C Akutex FT 40 mm, 43 mm o.d.s.

- Akusto Wall C Texona 40 mm, 43 mm o.d.s.
- --- Akusto Wall C Super G 40 mm, 43 mm o.d.s.
- o.d.s = overall depth of system

	THK o.d.s. mm		$lpha_{ m p}$, Practical sound absorption coefficient							Sound absorption class
	mm	nm 0.d.s. mm	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	α_{w}	
Akutex FT	40	43	0.25	0.80	0.95	1.00	1.00	1.00	1.00	A
Texona	40	43	0.20	0.75	1.00	1.00	1.00	1.00	1.00	A
Super G	40	43	0.25	0.75	1.00	1.00	1.00	1.00	1.00	A

ТНК	AC(1.5)
mm	Articulation Class, ASTM E1111, ASTM E1110
40	240



Indoor Air Quality

Certificate / Label	Standard	EMISSIONS DANS L'AIR INTÉRIEUR
Eurofins Indoor Air Comfort®	IAC	
French VOC	A	
Finnish M 1	•	-

Environmental Footprint

°			Life-cycle stages A1 to C4 from EPD, in conformity with ISO
		kg CO2 equiv/m ²	14025 / EN 15804
	Akusto Wall C - Texona	7,7 (Akusto Wall C EPD in conformity with ISO 14025 / EN 15804)	14020 / LIN 10004
	Akusto Wall C - Akutex FT	7,4 (Akusto Wall C EPD in conformity with ISO 14025 / EN 15804)	
	Akusto Wall C - Super G	9,0 (Akusto Wall C EPD in conformity with ISO 14025 / EN 15804)	



Circularity

)	Minimum post-consumer recycled content	60%	
	Recyclability	Fully recyclable	

Fire safety

Country	Standard	Class
Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akusto in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Super G and Akutex FT surfaces). Weekly dusting and vacuum cleaning (Texona surface).



Use of disinfectants

Texona Ginger, Sea salt, Thyme, Oyster and Garlic withstand the frequent use of ethanol (70%)-based disinfectants. Dampen a soft polyester microfiber cloth with the solution and wipe the surface in gentle circular movements.



Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. The systems should not be placed behind goals or similar areas where they frequently will be hit by hard ball shots. In such cases a protective net in front of the system is recommended.



System weight

The weight of the system (including profile system) should be approximately 5 kg/m².



Mechanical properties

No additional live load is allowed.



Impact Resistance


Surface	M-sketch		Tested and classified to fulfil the requirements of DIN 18032-
Super G	M354	Fulfills	3, equivalent to 1A according to EN13964.

CE

CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

INSTALLATION DIAGRAM (M497) FOR ECOPHON AKUSTO WALL C VERTICAL INSTALLATION WITH CONNECT THINLINE PROFILES.



QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Connect Thinline Profile, L=2644 mm	as required
3	Connect Thinline Corner	as required
4	Connect Fixing Plate installed 3 per panel lenght	as required
5	Connect Spline	as required
5	Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
7	Connect Thinline Splice. used to extend Thinline profiles where needed.	as required
8	Connect Thinline Space Bar	as required
	Δ Overall depth of system: 45 mm	



See Quantity specification




Detail of panel with Thinline system De





Detail of Thinline corner

Size, mm Max live Min load bearing load (N) capacity (N) 2700x600x40 0 -




		Size, mm
		2700×600
1	Akusto Wall C (Akusto Wall C/Super G for Ball Impact Resistance)	0,62/m²
2	Connect Installation screw MVL (for use in plasterboard or timber)	as required
3	Connect WP Space bar, L=2400 mm	as required
4	Connect WP Profile, L=2687 mm, fixed at 400 mm centres	as required
5	Connect WP External corner mounted in Connect WP Profile	as required
6	Connect WP Profile splice. used to extend WP profiles where needed.	as required
7	Connect Spline	as required
8	Connect Fixing Plate installed 3 per panel lenght	as required
	Δ Min. overall depth of system: 44 mm	





See Quantity specification


Detail of installation



Detail of WP Profile splice

Size, mm Max live Min load bearing load (N) capacity (N) 2700x600x40 0 -


INSTALLATION DIAGRAM (M355) FOR ECOPHON AKUSTO WALL C HORIZONTAL INSTALLATION




© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Connect WP Profile, L=2687 mm, fixed at 400 mm centres	as required
3	Connect Installation screw MVL (for use in plasterboard or timber)	as required
4	Alt. Connect Fixing bracket, fixed at 400 mm centres.	as required
5	Connect Fixing Plate installed 3 per panel lenght	as required
5	Connect WP Profile splice, used to extend WP profiles where needed.	as required
7	Connect WP External corner mounted in Connect WP Profile	as required
	Δ Min. overall depth of system: 44 mm	



See Quantity specification




Detail of WP Profile splice




Detail of lower connection

Size, mm Max live Min load bearing load (N) capacity (N) 2700x600x40 0 -




QUANTITY SPECIFICATION (EXCL. WASTAGE)


	Size, mm
	2700×600
Akusto Wall C	0,62/m²
Connect Thinline Profile, L=2644 mm	as required
Connect Thinline Corner	as required
Connect Fixing Plate installed 3 per panel lenght	as required
Connect Spline	as required
Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
Connect Thinline Space Bar	as required
Δ Overall depth of system; 45 mm	-



See Quantity specification



Detail of panel with Thinline system



Detail of Thinline corner

Size, mm Max live Min load bearing load (N) capacity (N) 2700x600x40 - -



Ecophon Akusto™ One

Ecophon Akusto™ One is a panel for wall applications offered in square, rectangle or circle shapes. It offers a multitude of design possibilities thanks to the many different formats and colours.



SYSTEM RANGE

40	Size, mm	Ø592	592x592	Ø792	Ø1192	1192x292	1192x592
	Special Fixing	•	•	•	•	•	•
_	Thickness (THK)	40	40	40	40	40	40
	Inst. Diagr.	M372	M371	M372	M372	M371	M371



-1/1/~

Installation with Connect™ One trim and Connect™ Absorber anchor one



fixing


Acoustic

The values in the diagram refer to a single unit. If the units are arranged in a cluster with distances between units less than 0,5 meters, the Aeq per unit will be slightly reduced.

Sound Absorption:


Test results according to EN ISO 354.

A_{ea}, Equivalent absorption area per unit (m² sabin)



- Akusto One Ø592, 48 mm o.d.s.

- ···· Akusto One Ø792, 48 mm o.d.s.
- --- Akusto One Ø1192, 48 mm o.d.s.
- o.d.s = overall depth of system



Frequency Hz

- Akusto One 592x592, 48 mm o.d.s.
- Akusto One 1192x292, 48 mm o.d.s.
- --- Akusto One 1192x592, 48 mm o.d.s.
- o.d.s = overall depth of system

Frequency Hz	
--------------	--

	ТНК	o d o mm		A _{eq} , E	quivalent absor	ption area per uni	it (m² sabin)	
	mm	o.d.s. mm	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
Ø592	40	48	0.0	0.2	0.5	0.6	0.4	0.4
Ø792	40	48	0.1	0.4	0.8	0.8	0.7	0.6
Ø1192	40	48	0.3	0.9	1.5	1.6	1.4	1.4

	THK	o.d.s. mm		A _{eq} , Ec	quivalent absor	ption area per un	it (m² sabin)	
	mm	0.0.5. 11111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
592x592	40	48	0.1	0.3	0.6	0.6	0.5	0.5
1192x292	40	48	0.1	0.3	0.6	0.6	0.5	0.5
1192x592	40	48	0.2	0.6	1.0	1.1	1.0	0.9



Indoor Air Quality

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	A
Finnish M1	•



Environmental Footprint

)°		kg CO2 equiv/m²	Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804
	Akusto One - Akutex FT	7,35	140z3 / EIN 13804
	Akusto One - Texona	9,42	



Circularity

Minimum post-consumer recycled content	61%
Recyclability	Fully recyclable



Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akusto in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Akutex FT surfaces). Weekly dusting and vacuum cleaning (Texona surface).



Accessibility

The tiles are easily demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

The weight of the system (depending on size and including profile system) should be approximately 2,0 - 4,5 kg.




Mechanical properties

No additional live load is allowed.


CE

CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




		Size, mm	Size, mm		
		592x592	1192x292	1192x592	
1	Akusto One	2,8/m²	2,8/m²	1,4/m²	
2	Alt. 1 Connect One trim (wall distance included)	1/panel	1/panel	1/panel	
3	Alt. 1 Connect Absorber anchor one	2/panel	2/panel	2/panel	
4	Alt. 2 Connect One hook fixing	2/panel	2/panel	2/panel	
	Δ Min. overall depth of system: Δ 1 48 mm / Δ 2 44 mm	-	-		




See Quantity specification




Connect One trim can be divided into two suspension trims



Connect Absorber anchor one used together with Connect One trim




Connect One hook fixing




QUANTITY SPECIFICATION (EXCL. WASTAGE)

© Ecophon Group


		Size, mm	Size, mm			
		Ø592	Ø792	Ø1192		
1	Akusto One	3,5/m²	2/m²	0,9/m²		
2	Alt. 1 Connect One trim (wall distance included)		-			
3	Alt. 1 Connect Absorber anchor one	-	-	-		
4	Alt. 2 Connect One hook fixing	-	-	-		
5	Connect One fixing	1/panel	1/panel	1/panel		
	Δ Min. overall depth of system: 40 mm	-	-	-		



See Quantity specification



Connect One fixing available in 4 different colours



Installation with Connect One fixing



Ecophon Akusto™ Wall C Akutex HS

Ecophon Akusto™ Wall C Akutex HS has a concealed grid and bevelled edge to create a narrow groove between each panel. Suitable for swimming pool areas, it's compatible with high humidity, corrosivity and occasional direct water.



SYSTEM RANGE

Grand Size, mm	2700x600	
4	Thinline Profile	•
	Thickness (THK)	40
	Inst. Diagr.	M505C4








Acoustic

-1/1/~

Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{
m p}$, Practical sound absorption coefficient



- Akusto Wall C Akutex HS 40 mm, 60 mm o.d.s.
- o.d.s = overall depth of system

ТНК	o.d.s. mm		$lpha_{p'}$ Pr	actical sound	d absorption c	coefficient		α"	α Sound absorption class			
mm	0.0.5. 11111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz					
40	60	0.30	0.85	0.95	0.95	1.00	0.95	1.00	A			



Indoor Air Quality

Certificate / Label		
Eurofins Indoor Air Comfort®	IAC	
French VOC	А	
Finnish M l	•	



Environmental Footprint

2		kg CO2 equiv/m²	Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804
	Akusto Wall C - Akutex HS	7,77	14023 / EIN 13004



Circularity

Minimum post-consumer recycled content	60%
Recyclability	Fully recyclable



Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. The systems should not be placed behind goals or similar areas where they frequently will be hit by hard ball shots. In such cases a protective net in front of the system is recommended.



Mechanical properties


See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.

CE

CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

INSTALLATION DIAGRAM (M505C4) FOR ECOPHON AKUSTO™ WALL C AKUTEX HS VERTICAL INSTALLATION WITH CONNECT THINLINE PROFILE AND DISTANCE.




QUANTITY SPECIFICATION (EXCL. WASTAGE)


		Size, mm
		2700×600
1 Akust	ito Wall C Akutex HS	0,62/m²
2 Conr	nect Thinline Profile, L=2644 mm	as required
3 Conr	nect Thinline Corner	as required
4 Conr	nect Spline	as required
5 Conr	nect Thinline Fixing C4, for panel support every 1000 mm	as required
6 Instal	llation screw C4, installed at 200 mm centres (select fastener according to wall material)	as required
7 Conr	nect Thinline Splice. used to extend Thinline profiles where needed.	as required
8 Conr	nect Thinline Space Bar	as required
9 Conr	nect Distance C4, installed at 200 mm centres	as required
	verall depth of system: 55 mm	



See Quantity Specification




Detail of panel with Thinline system with distance



Detail of Thinline corner

Ecophon Akusto[™] Screen

Ecophon Akusto[™] Screen has an exposed profile system. The size of the product is 1500 x 1200mm, thickness 40 mm. Available in Texona surface. Suitable for open space offices. Combined with a sound absorbing ceiling to achieve excellent acoustic properties in the room.




SYSTEM RANGE

Size, mm	1500x1200
Freestanding	•
Thickness (THK)	40
Inst. Diagr.	M526





Akusto Floor corner



_


Acoustic



Sound Absorption:

Sound absorption and sound attenuation test results according to ISO 20189.


A_{eq}, Equivalent absorption area per unit (m² sabin)



- Akusto Screen, size 1500x1200 mm

Frequency Hz

Screen sound attenuation Δ Ls (dB)



- Akusto Screen, size 1500x1200 mm.

	ТНК		A _{eq} ,	Equivalent absor	ption area per unit	(m² sabin)	
	mm	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
1500x1200	40	0.8	1.5	2.5	3.2	3.5	3.4

Frequency Hz

	THK		Scr	een sound o	attenuation Δ	Ls (dB)		Weighted screen sound attenuation (dB)
	mm	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	vveignied screen sound direntiation (db)
1500x1200	40	4.0	7.0	6.0	8.0	12.0	16.0	10.0



Indoor Air Quality





Circularity

Fully recyclable.



Humidity Resistance

Class A, relative humidity 70% and 25°C, according to EN 13964:2014



Visual appearance

Texona in white has high light reflectance. For more information regarding visual appearance of the various surfaces: See Ecophon Colours and surfaces.



Cleanability

Weekly dusting and vacuum cleaning.



Use of disinfectants

Texona Ginger, Sea salt, Thyme, Oyster and Garlic withstand the frequent use of ethanol (70%)-based disinfectants. Dampen a soft polyester microfiber cloth with the solution and wipe the surface in gentle circular movements.




Installation

Installed according to the installation guide that is delivered with the product.



Mechanical properties

The product is tested according to EN14073-2 and EN1023.



Ecophon Akusto™ Wall C Extra Bass

Ecophon Akusto™ Wall C Extra Bass has a concealed grid and bevelled edge to create a narrow groove between each panel. Available in a variety

of surface options. The wall absorber has excellent sound absorption qualities from low to high sound frequencies. Best room acoustic

properties are achieved when used together with a sound absorbing ceiling.



SYSTEM RANGE

	40	Size, mm	2700x600
	4C	Akusto Extra Bass (40mm)	•
4		Thickness (THK)	40
		Inst. Diagr.	M535, M547







Akusto Wall C Extra Bass system


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{
m p\prime}$ Practical sound absorption coefficient



Akusto Wall C Extra Bass 80 mm, 80 mm o.d.s.
 o.d.s = overall depth of system

M1)

	тнк	o.d.s. mm		$lpha_{p'}$ Pro	ictical sound	d absorption	coefficient		α	Sound absorption class
	mm	0.0.5. 11111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	~~ _W	Sound absorption class
Extra Bass	80	80	0.65	1.00	0.95	1.00	1.00	1.00	1.00	A

THK mm	o.d.s. mm	NRC	SAA
80	80	1.00	1.00



Indoor Air Quality

Certificate / Label		EMISSIONS DANS L'AIR INTÉRIEUR
Eurofins Indoor Air Comfort®	IAC	
French VOC	A	
Finnish M1	•	



Circularity

Minimum post-consumer recycled content	60%
Recyclability	Fully recyclable

Environmental Footprint

$\sum_{i=1}^{n}$		kg CO2 equiv/m²	Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804
	Akusto Wall C Extra Bass/Texona	10,8	140z3 / EN 13804
	Akusto Wall C Extra Bass/Akutex FT	10,4	



Fire safety

)	Country	Standard	Class
	Europe	EN 13501-1	A2-s1,d0

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akusto in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Akutex FT surfaces). Weekly dusting and vacuum cleaning (Texona surface).



Accessibility

The tiles are not demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid.



System weight

The weight of the system depends on the dimensions of the installation. 2700 x 2700 mm installations has a system weight of approximately 7 kg/m² (including profile system).



Mechanical properties


No additional live load is allowed.



CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.


INSTALLATION DIAGRAM (M535) FOR ECOPHON AKUSTO WALL C EXTRA BASS VERTICAL INSTALLATION WITH CONNECT SHADOW PROFILES.




© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)


	Size, mm
	2700×600
Akusto Wall C	0,62/m²
Akusto Extra Bass	1,25/m²
Connect Shadow Profile	as required
Connect Shadow Corner [Incl. washer for leveling]	as required
Connect Ambit fixing installed at 1000 mm centres	as required
Connect Spline	as required
Installation screw, installed at 200 mm centres [select fastener according to wall material]	as required
Connect Shadow Splice. Used to extend profiles where needed.	as required



See Quantity specification




Detail of panel with Thinline system



Detail of panel with Thinline system

Size, mm Max live Min load bearing load (N) capacity (N) 2700x600x40 0 -


INSTALLATION DIAGRAM (M547) FOR ECOPHON AKUSTO WALL BASS HORIZONTAL INSTALLATION WITH CONNECT SHADOW PROFILES.




© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)

1 Akusto Wall C 2 Akusto Extra Bass 3 Connect Shadow Profile 4 Connect Shadow Corner [Incl. washer for leveling] 5 Connect Ambit fixing installed at 1000 mm centres	2700×600 0,62/m² 1,25/m²
Akusto Extra Bass Connect Shadow Profile Connect Shadow Corner (Incl. washer for leveling)	
3 Connect Shadow Profile 4 Connect Shadow Corner (Incl. washer for leveling)	1,25/m²
4 Connect Shadow Corner (Incl. washer for leveling)	
	as required
5 Connect Ambit fixing installed at 1000 mm centres	as required
	as required
6 Installation screw, installed at 200 mm centres (select fastener according to wall material)	as required
7 Connect Spline	as required
8 Connect Shadow Splice. Used to extend profiles where needed.	as required



See Quantity specification



Detail of panel with Thinline system

Size, mm Max live Min load bearing load (N) capacity (N) 2700x600x40 0 -