
Ecophon Super G[™] A


Ecophon Super G[™] A has an exposed grid system with impact bracing bars or clips to keep tiles in place. For applications in school corridors and other environments where there is a risk for mechanical impact.



SYSTEM RANGE

20/35	Size, mm	600x600		1200x600	1200x600	
	Т24	•	•	•	•	
	Thickness (THK)	20	35	20	35	
	Inst. Diagr.	M199	M55	M199	M55	









Super G A with Connect Impact bracing


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{
m p\prime}$ Practical sound absorption coefficient



- --- Super G A 20 mm, 200 mm o.d.s.
- ···· Super G A 35 mm, 50 mm o.d.s.
- Super G A 35 mm, 200 mm o.d.s.
- o.d.s = overall depth of system

ТНК	o.d.s. mm		$lpha_{p'}$ Pi	actical soun	d absorption c	coefficient		α	Sound absorption class
mm	0.0.3. 11111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	~~ _W	
20	200	0.45	0.85	1.00	0.95	1.00	1.00	1.00	A
35	50	0.15	0.55	1.00	1.00	1.00	1.00	0.85	В
35	200	0.50	0.95	1.00	1.00	1.00	1.00	1.00	А

THK mm	o.d.s. mm	NRC	SAA
35	50	0.90	0.92
35	200	1.00	0.97
35	400	0.90	0.92



Indoor Air Quality

Certificate / Label				
Eurofins Indoor Air Comfort®	IAC			
French VOC	А			
Finnish M1	•			



Environmental Footprint

	kg CO2 equiv/m²
Super G A 20mm	3,28
Super G A 35mm	4,90

Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804

Circularity



Minimum post-consumer recycled content (35 mm Super G A)	51%
Minimum post-consumer recycled content (20 mm Super G A)	42%
Recyclability	Fully recyclable

Fire safety

)	Country	Standard	Class	The glass wool core of the tiles is tested and classified as
	Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are not demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid. (The tiles have to be installed according to the arrows on the back of the tile.)



System weight

The weight of the system (including suspension grid) should be approximately 3-4 $\rm kg/m^2$



Mechanical properties

See table regarding the min- and max- load bearing capacities and functional demands.



Impact Resistance


)	Thickness	M-sketch		Tested and classified according to EN 13964 annex D.
	20	M199	3A	
	35	M55	2A	

CE

CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

INSTALLATION DIAGRAM (M199) FOR ECOPHON SUPER G A (20MM)




© Ecophon Group

		Size, mm	
		600x600	1200×600
.	Super G A	2,8/m²	1,4/m²
2	Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm)	0,9m/m²	0,9m/m²
3	Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	1,7m/m²
1	Connect T24 Cross tee, L=600 mm	0,9m/m²	-
5	Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm)	0,7/m²	0,7/m²
5	Connect Hanger clip (secured with screw)	0,7/m²	0,7/m²
7	Connect Hygiene Clip 20	11/m²	7/m²
3	Connect Channel trim	as required	as required
	Δ Min. overall depth of system: 150 mm		
	$m{\delta}$ Min. demounting depth: 150 mm (non-clipped panel)		




QUANTITY SPECIFICATION (EXCL. WASTAGE)


See Quantity specification




Arrangement of clips



Clip for keeping tiles in place




INSTALLATION DIAGRAM (M55) FOR ECOPHON SUPER G A AND SUPER G A XL, SUSPENDED INSTALLATION (35MM)




QUANTITY SPECIFICATION (EXCL. WASTAGE)


	Size, mm	
	600×600	1200×600
Super G A and Super G A XL	2,8/m²	1,4/m²
2 Connect T24 Main runner, installed at 600 mm centres	1,7m/m²	1,7m/m²
3 Connect T24 Cross tee, L=600 mm	1,7m/m²	0,9m/m²
Rigid hanger made of Connect Angle trim, max. L=1200 mm at 1200 mm centres	1,4/m²	1,4/m²
5 Connect Impact Bracing (Split pins included)	5,6/m²	4,2/m²
5 Connect Channel trim, fixed at 300 mm centres (h=44 mm)	as required	as required
Δ Min. overall depth of system: 200 mm		
δ Min. demounting depth: 200 mm (for tile without Impact bracing)		



See Quantity specification



Detail of suspension



Connection between profiles with split pin



Live load/load bearing capacity

© Ecophon Group

Ecophon Super G[™] B

Ecophon Super G[™] B has bonded tiles edge to edge, directly to the soffit surface. The bevelled edge creates a narrow groove between each tile to offer a smooth appearance. For applications where the minimum possible overall depth of system is required and there's risk of high mechanical impact.



SYSTEM RANGE

H 64	Size, mm	600x600
4	Direct	•
	Thickness (THK)	40
	Inst. Diagr.	M298, M487











Section of Super G B system with screws


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{
m p}$, Practical sound absorption coefficient



– Super G B 40 mm, 43 mm o.d.s. o.d.s = overall depth of system

ТНК	o.d.s. mm		$lpha_{p'}$ Pr	actical sound	d absorption c	coefficient		α"	Sound absorption class
mm	0.0.5. 11111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	0. _W	
40	43	0.20	0.75	1.00	1.00	1.00	1.00	1.00	A

THK mm	o.d.s. mm	NRC	SAA
40	43	0.95	0.95



Indoor Air Quality

Certificate / Label	EMESIONS DANS LAR INTÉREUR	
Eurofins Indoor Air Comfort®	IAC	
French VOC	A	
Finnish M1	•	

Environmental Footprint

P*		kg CO2 equiv/m²	Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804
	Super G B	8,40	- 14023 / EIN 13804



Circularity

Minimum post-consumer recycled content	58%
Recyclability	Fully recyclable



Fire safety

\sim						
	Country	Standard	Class	The glass wool core of the tiles is tested and classified as		
	Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.		



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are not demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. Rendered surfaces must have sufficient strength to be able to carry the load imposed by the tiles. If doubts, test gluing should be carried out. The surface should always be dry and clean. For best result the surface should be even. Install tiles according to arrows.



System weight

The weight of the system should be approximately 5 kg/m²



Mechanical properties

See table regarding the min- and max- load bearing capacities and functional demands. Additional live load has to be fixed to the soffit.




Impact Resistance

M-sketch	
M298	1A
M487	1A

Tested and classified according to EN 13964 annex D and fulfill the demands corresponding to DIN 18032 part 3. Adding installations to the system might affect the systems impact resistance.


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

INSTALLATION DIAGRAM (M298) FOR ECOPHON SUPER G B, USING CONNECT ABSORBER GLUE




© Ecophon Group

		Size, mm
		600x600
	Super G B	2,8/m²
2	Connect Absorber glue (0,25 l/m² - 0,4 l/m² depending on installation conditions)	as required
3	When installing floating ceilings: Connect Wood trim, L=3000, fixed at 500 mm centres	as required
	Use Connect Notched spatula to apply the glue.	-
	Δ Min. overall depth of system: 43 mm	-
	δ Min. demounting depth: The system is not demountable	
	Visible edges should be painted	



Contraction of the second seco



Live load/load bearing capacity

Size, mm 600x600x40


See Quantity specification

Application of glue

Wood trim for floating installation


Max live Min load bearing load (N) capacity (N)


INSTALLATION DIAGRAM (M487) FOR ECOPHON SUPER G B WITH SCREW AND WASHER



© Ecophon Group

	Size, mm
	600×600
Super G B	2,8/m²
Connect Absorber screw SuperGB	11,1/m²
Δ Min. overall depth of system: 43 mm	
δ Min. demounting depth: The system is not demountable	
Visible edges should be painted	





Size, mm Max live Min load bearing load (N) capacity (N) 600x600x40

See Quantity specification

Position of screws size 600x600



Ecophon Super G[™] Plus A


Ecophon Super G[™] Plus A has a robust grid system consisting of recessed profiles mounted directly to the soffit or a suspended grid system. For ceilings in sports halls or similar environments with a risk of high mechanical impact.




SYSTEM RANGE

40	Size, mm	1200x600
	Special Fixing	•
	Thickness (THK)	40
	Inst. Diagr.	M115, M527

© Saint-Gobain Ecophon AB



Super G Plus A tile



installation



Section of Super G Plus system suspended installation


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{_{D'}}$ Practical sound absorption coefficient



···· Super G Plus A 40 mm, 40 mm o.d.s.

- Super G Plus A 40 mm, 200 mm o.d.s.

o.d.s = overall depth of system

ТНК	odsmm		$lpha_{p'}$ Pr	actical sound	d absorption c	coefficient		α	Sound absorption class
o.d.s. mm	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	α_{w}		
40	40	0.20	0.70	1.00	1.00	1.00	1.00	1.00	A
40	200	0.45	0.80	0.95	1.00	1.00	1.00	1.00	А

THK mm	o.d.s. mm	NRC	SAA
40	40	0.95	0.95
40	200	0.90	0.89
40	400	0.85	0.87



Indoor Air Quality

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•



Environmental Footprint

A	┢	+	4	n°	
6	f	1	Ţ	1	
	-	~			

kg	CO2	equ

7,73

Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804



Circularity

Super G Plus A

Minimum post-consumer recycled content	57%
Recyclability	Fully recyclable



Fire safety

Country	Standard	Class	The glass wool co
Europe	EN 13501-1	A2-s1,d0	non-combustible a

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are not demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid. (The tiles have to be installed according to the arrows on the back of the tile.)



System weight

The weight of the system (including suspension grid) should be 6 to 7.5 kg/m² (depending on installation method).



Mechanical properties

See table regarding the min- and max- load bearing capacities and functional demands.



Impact Resistance


M-sketch		T
M115	1A	гı А
M527	1A	ir

Tested and classified according to EN 13964 annex D and fulfill the demands corresponding to DIN 18032 part 3. Adding installations to the system might affect the systems impact resistance.




CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

Q	uantity specification (excl. wastage)	
		Size, mm
		1200x600
1	Super G Plus A	1,4/m²
2	Connect Recessed profile Plus, L=3000 mm, installed at 600 mm centres, fixed at 600 mm centres	1,7m/m²
3	Connect Recessed profile Plus, L=576 mm, installed at 1200 mm centres	0,8m/m²
1	Connect Angle trim, fixed at 300 mm centres	as required
	Δ Min. overall depth of system: 42 mm	
	δ Min. demounting depth: The system is not demountable	




See Quantity specification



Installation with recessed profile


Size, mm Max live Min load bearing load (N) capacity (N) 1200x600x40 50 220

INSTALLATION DIAGRAM (M527) FOR ECOPHON SUPER G PLUS A, SUSPENDED INSTALLATION




© Ecophon Group


	Size, mm	
	1200×600	
1 Super G Plus A	1,4/m²	
2 Connect T24 Main runner, installed at 600 mm centres	0,9m/m²	
3 Connect T24 Cross Tee, L=1200 mm, installed at 600 mm centres	1,7m/m²	
4 Connect T24 Cross Tee, L=600 mm	0,9m/m²	
5 Connect Channel trim, fixed at 300 mm centres (h=44 mm)	as required	
5 Connect Recessed profile Plus, L=3000 mm, installed at 600 mm centres, fixed at 600 mm centres	1,7m/m²	
7 Connect Recessed profile Plus, L=576 mm, installed at 1200 mm centres	0,8m/m²	
Connect Nonius hanger upper, installed at 1200 mm centres	0,7/m²	
Connect Nonius hanger lower, installed at 1200 mm centres	0,7/m²	
10 Connect Split pin (2/hanger)	1,4/m²	
11 Connect Installation screw P, installed at 400 mm centres	4,4/m²	
12 Connect Wall Bracket for Main runners	1/second row of Main runner	
Δ Min. overall depth of system: Δ 270 mm		



Installation with recessed profile



Installation with recessed profile and C-profile



Connect C-profile plus with Connect Wall bracket plus

Max live Min load bearing load (N) capacity (N) 20 220 Size, mm 1200x600x40 20